

Report for: [West Lindsey \(www.west-lindsey.gov.uk\)](http://www.west-lindsey.gov.uk)
Crawl done at: Wed, 11 Jan 2023 04:36

Accessibility Checks Report

Overall Accessibility compliance status 100.0%



Crawl information

Pages scanned	3,002
Pages with issues	0
Unique snippets with issues	0
Total locations affected	0

Errors

Success criteria	Guideline	Unique issues	Total locations	Appears on pages
A All <code>img</code> elements have an <code>alt</code> attribute	1.1.1	0	0	0
A Alt text for all <code>img</code> elements used as source anchors is not empty when there is no other text in the anchor.	1.1.1	0	0	0
A "All <code>input</code> elements with a <code>type</code> attribute value of "image" have an <code>alt</code> attribute."	1.1.1	0	0	0
A All <code>area</code> elements have an <code>alt</code> attribute.	1.1.1	0	0	0
A All <code>embed</code> elements have an associated <code>noembed</code> element that contains a text equivalent to the <code>embed</code> element.	1.1.1	0	0	0
A All <code>input</code> elements, except those with a <code>type</code> attribute value of "image", do not have an <code>alt</code> attribute.	1.1.1	0	0	0
A All <code>input</code> elements, type of "text", have an explicitly associated label.	1.3.1	0	0	0
A All <code>select</code> elements have a label that contains text.	1.3.1	0	0	0
A All <code>textarea</code> elements have an explicitly associated label.	1.3.1	0	0	0
A All <code>data table</code> summaries contain text.	1.3.1	0	0	0
A All layout <code>tables</code> have an empty <code>summary</code> attribute or no <code>summary</code> attribute.	1.3.1	0	0	0
A All layout <code>tables</code> do not contain <code>caption</code> elements	1.3.1	0	0	0
A All <code>input</code> elements, type of "password", have an explicitly associated label	1.3.1	0	0	0
A All <code>input</code> elements, type of "checkbox", have an explicitly associated label.	1.3.1	0	0	0

Success criteria	Guideline	Unique issues	Total locations	Appears on pages
A All input elements, type of "file", have an explicitly associated label.	1.3.1	0	0	0
A All input elements, type of "radio", have an explicitly associated label.	1.3.1	0	0	0
A All radio button groups are marked using fieldset and legend elements	1.3.1	0	0	0
A All input elements, type of "radio", have a label containing text.	1.3.1	0	0	0
A All input elements, type of "checkbox", have a label containing text.	1.3.1	0	0	0
A All input elements, type of "password", have a label containing text.	1.3.1	0	0	0
A All select elements have a label that contains text.	1.3.1	0	0	0
A All textarea elements have a label containing text.	1.3.1	0	0	0
A All input elements, type of "text", have a label containing text.	1.3.1	0	0	0
A All input elements, type of "file", have a label containing text.	1.3.1	0	0	0
A Table summaries do not duplicate the table captions.	1.3.1	0	0	0
A Data tables that contain both row and column headers use the scope attribute to identify cells.	1.3.1	0	0	0
A Data tables that contain more than one row/column of headers use the id and headers attributes to identify cells.	1.3.1	0	0	0
A All checkbox groups are marked using fieldset and legend elements.	1.3.1	0	0	0
A All text colors or no text colors are set.	1.4.1	0	0	0

Success criteria	Guideline	Unique issues	Total locations	Appears on pages
A All <code>onmousedown</code> event handlers have an associated <code>onkeydown</code> event handler	2.1.1	0	0	0
A All <code>onmouseout</code> event handlers have an associated <code>onblur</code> event handler	2.1.1	0	0	0
A All <code>onmouseover</code> event handlers have an associated <code>onfocus</code> event handler.	2.1.1	0	0	0
A All <code>onmouseup</code> event handlers have an associated <code>onkeyup</code> event handler	2.1.1	0	0	0
A Meta refresh is not used with a time-out.	2.2.1	0	0	0
A <code>blink</code> element is not used.	2.2.2	0	0	0
A <code>marquee</code> element is not used.	2.2.2	0	0	0
A Auto-redirect must not be used.	2.2.2	0	0	0
A Error All <code>frames</code> have a title attribute.	2.4.1	0	0	0
A Document contains a <code>title</code> element	2.4.2	0	0	0
A <code>title</code> contains text	2.4.2	0	0	0
A Each source anchor contains text	2.4.4	0	0	0
A Document has required <code>lang</code> attribute(s)	3.1.1	0	0	0
A Document has a valid <code>language</code> code	3.1.1	0	0	0
A Reading order direction is marked using the <code>html</code> element's <code>dir</code> attribute if the document's primary language is read right to left.	3.1.1	0	0	0
A Each <code>input</code> element has only one associated label.	3.3.2	0	0	0
A Each label associated with an <code>input</code> element contains text.	3.3.2	0	0	0
A <code>id</code> attributes must be unique.	4.1.1	0	0	0

Success criteria	Guideline	Unique issues	Total locations	Appears on pages
A Provide sufficient contrast between text and background colors. A	1.4.3	0	0	0
A Link text color must contrast sufficiently with its background color. A	1.4.3	0	0	0
A b (bold) element is not used. A	1.4.4	0	0	0
A i (italic) element is not used A	1.4.4	0	0	0
A basefont must not be used A	1.4.4	0	0	0
A font must not be used. A	1.4.4	0	0	0
A Ensure pinch-to-zoom is enabled. A	1.4.4	0	0	0
A The header following an h1 is h1 or h2 A	2.4.6	0	0	0
A The header following an h2 is h1, h2 or h3 A	2.4.6	0	0	0
A The header following an h3 is h1, h2, h3 or h4 A	2.4.6	0	0	0
A The header following an h4 is h1, h2, h3, h4 or h5 A	2.4.6	0	0	0
A The header following an h5 is h6 or any header less than h6 A	2.4.6	0	0	0

Warnings

Success criteria	Guideline	Unique issues	Total areas	Appears on pages
A Alt text is not the same as the filename unless author has confirmed it is correct	1.1.1	0	0	0
A Alt text for all <code>img</code> elements is not placeholder text unless author has confirmed it is correct.	1.1.1	0	0	0
A Alt text for all <code>input</code> elements with a <code>type</code> attribute value of "image" is less than 100 characters (English) or the user has confirmed that the Alt text is as short as possible.	1.1.1	0	0	0
A Image used in <code>input</code> element - Alt text should not be placeholder text.	1.1.1	0	0	0
A area link to sound file must have text transcript.	1.1.1	0	0	0
A Links to multimedia require a text transcript.	1.2.1	0	0	0
A Links to multimedia have a link to text alternative.	1.2.1	0	0	0
A All <code>p</code> elements are not used as headers.	1.3.1	0	0	0
A ASCII art should have a skipover link.	2.4.1	0	0	0
A <code>title</code> is short.	2.4.2	0	0	0
A <code>title</code> is not placeholder text	2.4.2	0	0	0
A Suspicious <code>link</code> text.	2.4.4	0	0	0
A area should not open new window without warning.	3.2.2	0	0	0
A All <code>select</code> elements do not cause an extreme change in context.	3.2.2	0	0	0
A Scrolling in more than one direction is not necessary for small displays and zoomed content.	1.4.10	0	0	0
A List items must not be used to format text.	3.2.4	0	0	0

Reviews

Success criteria	Guideline	Unique issues	Total areas	Appears on pages
A Image alt text is short.	1.1.1	0	0	0
A A long description is used for each img element that does not have Alt text conveying the same information as the image.	1.1.1	0	0	0
A Alt text for all img elements is the empty string ("") if the image is decorative.	1.1.1	0	0	0
A applet contains a text equivalent in the alt attribute of the applet.	1.1.1	0	0	0
A applet contains a text equivalent in the body of the applet.	1.1.1	0	0	0
A "Alt text for all input elements with a type attribute value of "image" identifies the purpose or function of the image."	1.1.1	0	0	0
A Alt text for all area elements identifies the link destination.	1.1.1	0	0	0
A Each object must have a text equivalent that will be displayed if the object is not.	1.1.1	0	0	0
A Alt text for all img elements that are not used as source anchors conveys the same information as the image.	1.1.1	0	0	0
A Alt text for all input elements with a type attribute value of "image" contains all non-decorative text in the image.	1.1.1	0	0	0
A Alt text for all area elements contains all non-decorative text in the image area.	1.1.1	0	0	0
A title attribute for all img elements is absent or the empty string ("") if the image is decorative.	1.1.1	0	0	0
A Sound file must have a text transcript.	1.2.1	0	0	0

Success criteria	Guideline	Unique issues	Total areas	Appears on pages
A object link to multimedia file require equivalent alternatives (e.g., captions or auditory descriptions of the visual track).	1.2.3	0	0	0
A object may require a long description.	1.2.3	0	0	0
A All textarea elements have a label that is positioned close to control.	1.3.1	0	0	0
A All complex data tables have a summary	1.3.1	0	0	0
A All input elements, type of "password", have a label that is positioned close to the control.	1.3.1	0	0	0
A All input elements, type of "checkbox", have a label that is positioned close to the control.	1.3.1	0	0	0
A All input elements, type of "file", have a label that is positioned close to the control.	1.3.1	0	0	0
A All input elements, type of "radio", have a label that is positioned close to the control.	1.3.1	0	0	0
A All data tables contain th elements	1.3.1	0	0	0
A All layout tables do not contain th elements.	1.3.1	0	0	0
A All data tables contain a caption unless the table is identified within the document.	1.3.1	0	0	0
A pre element should not be used to create tabular layout.	1.3.1	0	0	0
A All data table summaries describe navigation and structure of the table.	1.3.1	0	0	0
A All select elements have a label that is positioned close to the control.	1.3.1	0	0	0
A "All input elements, type of "text", have a label that is positioned close to the control."	1.3.1	0	0	0
A Use thead to group repeated table headers, tfoot for repeated table footers, and tbody for other groups of rows.	1.3.1	0	0	0

Success criteria	Guideline	Unique issues	Total areas	Appears on pages
A Use <code>colgroup</code> and <code>col</code> elements to group columns.	1.3.1	0	0	0
A Table markup is used for all tabular information.	1.3.1	0	0	0
A Table captions identify the table.	1.3.1	0	0	0
A All visual lists are marked.	1.3.1	0	0	0
A Unicode right-to-left marks or left-to-right marks are used whenever the HTML bidirectional algorithm produces undesirable results.	1.3.1	0	0	0
A All changes in text direction are marked using the <code>dir</code> attribute.	1.3.1	0	0	0
A All layout tables make sense when linearized	1.3.3	0	0	0
A All text references do not use shape, size, or relative position alone.	1.3.3	0	0	0
A For all <code>img</code> elements, text does not refer to the image by color alone.	1.4.1	0	0	0
A <code>applet</code> should not use color alone.	1.4.1	0	0	0
A <code>input</code> should not use color alone	1.4.1	0	0	0
A <code>object</code> must not use color alone.	1.4.1	0	0	0
A Color alone should not be used in the script.	1.4.1	0	0	0
A The luminosity contrast ratio between text and background color in all images is at least 5:1.	1.4.1	0	0	0
A Alt text for all <code>img</code> elements contains all text in the image unless the image text is decorative or appears elsewhere in the document.	1.4.5	0	0	0
A <code>applet</code> user interface must be accessible.	2.1.1	0	0	0
A <code>object</code> user interface must be accessible - (codebase).	2.1.1	0	0	0
A User interface for <code>script</code> must be accessible.	2.1.1	0	0	0

Success criteria	Guideline	Unique issues	Total areas	Appears on pages
A All <code>ondblclick</code> event handlers have corresponding keyboard-specific functions	2.1.1	0	0	0
A All <code>onmousemove</code> event handlers have corresponding keyboard-specific functions.	2.1.1	0	0	0
A <code>applet</code> provides a keyboard mechanism to return focus to the parent window.	2.1.2	0	0	0
A <code>object</code> provides a keyboard mechanism to return focus to the parent window.	2.1.2	0	0	0
A <code>embed</code> provides a keyboard mechanism to return focus to the parent window.	2.1.2	0	0	0
A Keyboard shortcuts are implemented in a changeable and safe manner	2.1.4	0	0	0
A All <code>img</code> elements have associated images that do not flicker.	2.3.1	0	0	0
A <code>applets</code> cause screen flicker.	2.3.1	0	0	0
A All <code>objects</code> do not flicker.	2.3.1	0	0	0
A <code>script</code> should not cause screen flicker.	2.3.1	0	0	0
A "A "skip to content" link appears on all pages with blocks of material prior to the main document."	2.4.1	0	0	0
A All <code>frame</code> titles identify the purpose or function of the frame.	2.4.1	0	0	0
A All groups of links with a related purpose are marked.	2.4.1	0	0	0
A <code>title</code> describes the document	2.4.2	0	0	0
A Link text is meaningful when read out of context.	2.4.4	0	0	0
A Content can be operated using simple inputs on a wide range of pointing devices.	2.5.1	0	0	0
A Functionality that can be operated using a single pointer, is implemented in a safe manner.	2.5.2	0	0	0

Success criteria	Guideline	Unique issues	Total areas	Appears on pages
A User interface components with labels that include text or images of text has the text that is presented visually contained in the name.	2.5.3	0	0	0
A Functionality that can be operated by device motion or user motion can also be operated by user interface.	2.5.4	0	0	0
A Functionality that can be operated by device motion or user motion can be disabled to prevent accidental actuation.	2.5.4	0	0	0
A Loading the web page does not cause a new window to open.	3.2.1	0	0	0
A Change of context occurs only by user activation unless a warning is provided.	3.2.2	0	0	0
A All form submission error messages identify any empty required fields.	3.3.1	0	0	0
A Each label describes its associated input element.	3.3.2	0	0	0
A All input elements, type of "file", have a label that describes the purpose or function of the control.	3.3.2	0	0	0
A All select elements have a label that describes the purpose or function of the control.	3.3.2	0	0	0
A All input elements, type of "password", have a label that describes the purpose or function of the control.	3.3.2	0	0	0
A All input elements, type of "text", have a label that describes the purpose or function of the control.	3.3.2	0	0	0
A All input elements, type of "checkbox", have a label that describes the purpose or function of the control.	3.3.2	0	0	0
A All input elements, type of "radio", have a label that describes the purpose or function of the control.	3.3.2	0	0	0
A All form fields that are required are indicated to the user as required.	3.3.2	0	0	0

Success criteria	Guideline	Unique issues	Total areas	Appears on pages
A A Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.	1.3.4	0	0	0
A A The purpose of each input field collecting information about the user can be programmatically determined.	1.3.5	0	0	0
A A The visual presentation of UI and graphics components have a contrast ratio of at least 3:1 against adjacent color(s).	1.4.11	0	0	0
A A No loss of content or functionality occurs when changing certain text style properties.	1.4.12	0	0	0
A A Additional content that appears and disappears in coordination with keyboard focus or pointer hover does not obstruct operation.	1.4.13	0	0	0
A A Visited link text colour must contrast sufficiently with its background colour.	1.4.3	0	0	0
A A Active link text color must contrast sufficiently with its background color.	1.4.3	0	0	0
A A Selected link text color must contrast sufficiently with its background color.	1.4.3	0	0	0
A A Sites must have a site map.	2.4.5	0	0	0
A A All h1 elements are not used for formatting	2.4.6	0	0	0
A A All h2 elements are not used for formatting.	2.4.6	0	0	0
A A All h3 elements are not used for formatting	2.4.6	0	0	0
A A All h4 elements are not used for formatting	2.4.6	0	0	0
A A All h5 elements are not used for formatting	2.4.6	0	0	0

Success criteria	Guideline	Unique issues	Total areas	Appears on pages
A All <code>h6</code> elements are not used for formatting A	2.4.6	0	0	0
A Words and phrases not in the document's primary language are marked. A	3.1.2	0	0	0
A Repeated blocks of content appear in the same frame A within the <code>frameset</code> .	3.2.3	0	0	0
A The tab order specified by <code>tabindex</code> attributes follows A a logical order.	3.2.3	0	0	0
A Repeated components appear in the same relative order A der each time they appear.	3.2.3	0	0	0
A <code>blockquote</code> must not be used for indentation. A	3.2.4	0	0	0
A Use the <code>blockquote</code> element to mark up block quotations A ns	3.2.4	0	0	0
A All form submission error messages provide assistance A ce in correcting the error.	3.3.3	0	0	0
A Form submission data is presented to the user before A e final acceptance for all irreversible transactions.	3.3.4	0	0	0
A Information deleted using a web page can be recovered. A ed.	3.3.4	0	0	0
A Status messages can be programmatically determined A d through role or properties.	4.1.3	0	0	0