

## Accessibility checks

Scanned at: 24 Feb 2024, 05:30

Domain: [West Lindsey \(www.west-lindsey.gov.uk\)](http://www.west-lindsey.gov.uk)

Scanned at: 24 Feb 2024, 05:30

Report created: 28 Feb 2024, 11:37

Compliance status **100%**

Pages scanned: **3332**

Pages with issues: **0**

### Errors

Check ▾	Responsibility ▾	Guideline	Issues ▾	Pages ▾
A All <b>img</b> elements have an <b>alt</b> attribute	Front-end Development UX Design	1.1.1	0	<b>0</b> PAGES
A Alt text for all <b>img</b> elements used as source anchors is not empty when there is no other text in the anchor.	Front-end Development Content Authoring	1.1.1	0	<b>0</b> PAGES
A "All <b>input</b> elements with a <b>type</b> attribute value of "image" have an <b>alt</b> attribute."	Content Authoring Visual Design	1.1.1	0	<b>0</b> PAGES
A All <b>area</b> elements have an <b>alt</b> attribute.	UX Design Front-end Development	1.1.1	0	<b>0</b> PAGES

Check ↕	Responsibility ↕	Guideline	Issues ↕	Pages ↕
A All <b>embed</b> elements have an associated <b>noembed</b> element that contains a text equivalent to the <b>embed</b> element.	Front-end Development	1.1.1	0	0 PAGES
A All <b>input</b> elements, except those with with a <b>type</b> attribute value of "image", do not have an <b>alt</b> attribute.	Front-end Development	1.1.1	0	0 PAGES
A Alt text should not be part of the filename.	Content Authoring UX Design	1.1.1	0	0 PAGES
A All <b>input</b> elements, <b>type</b> of "text", have an explicitly associated label.	Front-end Development	1.3.1	0	0 PAGES
A All <b>select</b> elements have a label that contains text.	Front-end Development	1.3.1	0	0 PAGES
A All <b>textarea</b> elements have an explicitly associated <b>label</b> .	UX Design Visual Design	1.3.1	0	0 PAGES
A All data <b>table</b> summaries contain text.	Content Authoring UX Design	1.3.1	0	0 PAGES
A All layout <b>tables</b> have an empty <b>summary</b> attribute or no <b>summary</b> attribute.	Front-end Development UX Design	1.3.1	0	0 PAGES
A All layout tables do not contain <b>caption</b> elements	Front-end Development UX Design	1.3.1	0	0 PAGES

Check ⚡		Responsibility ⚡	Guideline	Issues ⚡	Pages ⚡
A	All <b>input</b> elements, <b>type</b> of "password", have an explicitly associated <b>label</b>	Front-end Development	1.3.1	0	<b>0</b> PAGES
A	All <b>input</b> elements, <b>type</b> of "checkbox", have an explicitly associated <b>label</b> .	Front-end Development	1.3.1	0	<b>0</b> PAGES
A	All <b>input</b> elements, <b>type</b> of "file", have an explicitly associated <b>label</b> .	Front-end Development	1.3.1	0	<b>0</b> PAGES
A	All <b>input</b> elements, <b>type</b> of "radio", have an explicitly associated <b>label</b> .	UX Design Front-end Development	1.3.1	0	<b>0</b> PAGES
A	All radio button groups are marked using <b>fieldset</b> and legend elements	Front-end Development	1.3.1	0	<b>0</b> PAGES
A	All <b>input</b> elements, <b>type</b> of \"radio\", have a <b>label</b> containing text.	Front-end Development	1.3.1	0	<b>0</b> PAGES
A	All <b>input</b> elements, <b>type</b> of \"checkbox\", have a <b>label</b> containing text.	Front-end Development	1.3.1	0	<b>0</b> PAGES
A	All <b>input</b> elements, <b>type</b> of \"password\", have a <b>label</b> containing text.	Front-end Development	1.3.1	0	<b>0</b> PAGES
A	All <b>select</b> elements have a label that contains text.	Front-end Development	1.3.1	0	<b>0</b> PAGES

Check ⚡	Responsibility ⚡	Guideline	Issues ⚡	Pages ⚡
A All <b>textarea</b> elements have a <b>label</b> containing text.	Front-end Development	1.3.1	0	<b>0</b> PAGES
A All <b>input</b> elements, <b>type</b> of "text", have a <b>label</b> containing text.	Front-end Development	1.3.1	0	<b>0</b> PAGES
A All <b>input</b> elements, <b>type</b> of "file", have a <b>label</b> containing text.	Front-end Development	1.3.1	0	<b>0</b> PAGES
A Table summaries do not duplicate the table captions.	Front-end Development	1.3.1	0	<b>0</b> PAGES
A Data tables that contain more than one row/column of headers use the <b>id</b> and <b>headers</b> attributes to identify cells.	Front-end Development UX Design	1.3.1	0	<b>0</b> PAGES
A All checkbox groups are marked using <b>fieldset</b> and <b>legend</b> elements.	Front-end Development	1.3.1	0	<b>0</b> PAGES
A Data tables that contain both row and column headers use the <b>scope</b> attribute, or id and headers, to identify cells.	Front-end Development UX Design	1.3.1	0	<b>0</b> PAGES
A All text colors or no text colors are set.	UX Design Visual Design	1.4.1	0	<b>0</b> PAGES

Check ↕		Responsibility ↕	Guideline	Issues ↕	Pages ↕
A	Links inside text are distinguishable.	UX Design Visual Design Front-end Development	1.4.1	0	0 PAGES
A	All <b>onmousedown</b> event handlers have an associated <b>onkeydown</b> event handler	Front-end Development UX Design	2.1.1	0	0 PAGES
A	All <b>onmouseout</b> event handlers have an associated <b>onblur</b> event handler	Front-end Development UX Design	2.1.1	0	0 PAGES
A	All <b>onmouseover</b> event handlers have an associated <b>onfocus</b> event handler.	Front-end Development UX Design	2.1.1	0	0 PAGES
A	All <b>onmouseup</b> event handlers have an associated <b>onkeyup</b> event handler	Front-end Development UX Design	2.1.1	0	0 PAGES
A	<b>Meta</b> refresh is not used with a time-out.	Front-end Development	2.2.1	0	0 PAGES
A	<b>blink</b> element is not used.	Front-end Development	2.2.2	0	0 PAGES
A	<b>marquee</b> element is not used.	Front-end Development	2.2.2	0	0 PAGES
A	Auto-redirect must not be used.	Front-end Development	2.2.2	0	0 PAGES
A	Error All <b>frames</b> have a title attribute.	Content Authoring UX Design	2.4.1	0	0 PAGES

Check ↕	Responsibility ↕	Guideline	Issues ↕	Pages ↕
A Document contains a <b>title</b> element	Content Authoring	2.4.2	0	<a href="#">0</a> PAGES
A <b>title</b> contains text	Content Authoring	2.4.2	0	<a href="#">0</a> PAGES
A Each source anchor contains text	UX Design Content Authoring	2.4.4	0	<a href="#">0</a> PAGES
A Document has required <b>lang</b> attribute(s)	Front-end Development	3.1.1	0	<a href="#">0</a> PAGES
A Document has a valid <b>language</b> code	Front-end Development	3.1.1	0	<a href="#">0</a> PAGES
A Reading order direction is marked using the html element's <b>dir</b> attribute if the document's primary language is read right to left.	Front-end Development	3.1.1	0	<a href="#">0</a> PAGES
A Each <b>input</b> element has only one associated <b>label</b> .	Front-end Development	3.3.2	0	<a href="#">0</a> PAGES
A Each label associated with an <b>input</b> element contains text.	Front-end Development	3.3.2	0	<a href="#">0</a> PAGES
A <b>id</b> attributes must be unique.	Front-end Development	4.1.1	0	<a href="#">0</a> PAGES
AA The luminosity contrast ratio between text and background color is at least 4.5:1.	Visual Design	1.4.3	0	<a href="#">0</a> PAGES

Check ↕	Responsibility ↕	Guideline	Issues ↕	Pages ↕
AA The luminosity contrast ratio between link text and background color is at least 4.5:1.	Visual Design	1.4.3	0	0 PAGES
AA The luminosity contrast ratio between active link text and background color is at least 5:1.	Visual Design	1.4.3	0	0 PAGES
AA The luminosity contrast ratio between visited link text and background color is at least 4.5:1.	Visual Design	1.4.3	0	0 PAGES
AA Provide sufficient contrast between text and background colours.	Visual Design	1.4.3	0	0 PAGES
AA <b>b</b> (bold) element is not used.	Front-end Development	1.4.4	0	0 PAGES
AA <i>i</i> (italic) element is not used	Front-end Development	1.4.4	0	0 PAGES
AA <b>basefont</b> must not be used	Front-end Development	1.4.4	0	0 PAGES
AA <b>font</b> must not be used.	Front-end Development	1.4.4	0	0 PAGES
AA The header following an <b>h1</b> is <b>h1</b> or <b>h2</b>	Content Authoring	2.4.6	0	0 PAGES
AA The header following an <b>h2</b> is <b>h1</b> , <b>h2</b> or <b>h3</b>	Content Authoring	2.4.6	0	0 PAGES

Check ▾	Responsibility ▾	Guideline	Issues ▾	Pages ▾
AA The header following an <b>h3</b> is <b>h1</b> , <b>h2</b> , <b>h3</b> or <b>h4</b>	Content Authoring	2.4.6	0	<b>0</b> PAGES
AA The header following an <b>h4</b> is <b>h1</b> , <b>h2</b> , <b>h3</b> , <b>h4</b> or <b>h5</b>	Content Authoring	2.4.6	0	<b>0</b> PAGES
AA The header following an <b>h5</b> is <b>h6</b> or any header less than <b>h6</b>	Content Authoring	2.4.6	0	<b>0</b> PAGES

### Warnings

Check ▾	Responsibility ▾	Guideline	Issues ▾	Pages ▾
A Alt text for all <b>img</b> elements is not placeholder text unless author has confirmed it is correct.	UX Design Front-end Development	1.1.1	0	<b>0</b> PAGES
A Alt text for all <b>input</b> elements with a <b>type</b> attribute value of "image" is less than 100 characters (English) or the user has confirmed that the Alt text is as short as possible.	Content Authoring UX Design	1.1.1	0	<b>0</b> PAGES
A Image used in <b>input</b> element - Alt text should not be placeholder text.	Content Authoring UX Design	1.1.1	0	<b>0</b> PAGES
A <b>area</b> link to sound file must have text transcript.	Content Authoring UX Design	1.1.1	0	<b>0</b> PAGES



Check ⚡		Responsibility ⚡	Guideline	Issues ⚡	Pages ⚡
A	Links to multimedia require a text transcript.	Content Authoring UX Design	1.2.1	0	0 PAGES
A	Links to multimedia have a link to text alternative.	UX Design Content Authoring	1.2.1	0	0 PAGES
A	All <b>p</b> elements are not used as headers.	Content Authoring	1.3.1	0	0 PAGES
A	Autoplaying audible Multimedia can be shut down.	Front-end Development UX Design	1.4.2	0	0 PAGES
A	ASCII art should have a skipover link.	Front-end Development UX Design	2.4.1	0	0 PAGES
A	<b>title</b> is short.	Content Authoring	2.4.2	0	0 PAGES
A	<b>title</b> is not placeholder text	Content Authoring	2.4.2	0	0 PAGES
A	Suspicious <b>link</b> text.	Content Authoring UX Design	2.4.4	0	0 PAGES
A	<b>area</b> should not open new window without warning.	UX Design Visual Design	3.2.2	0	0 PAGES
A	All <b>select</b> elements do not cause an extreme change in context.	UX Design Visual Design	3.2.2	0	0 PAGES
A	If a cognitive test, such as memorizing a username and password, is required to login, an alternative method of authentication that	Front-end Development	3.3.7	0	0 PAGES

Check ▾	Responsibility ▾	Guideline	Issues ▾	Pages ▾
does not require a cognitive test, such as permitting copy and paste function, must also be provided.				
A For steps in a process, information previously entered by or provided to the user that is required on subsequent steps is either auto-populated, or available for the user to select	Front-end Development	3.3.8	0	0 PAGES
AA All interactive targets, such as linked icons, must take up a minimum of 24x24 CSS pixels of space, which can include white space surrounding the target.	Visual Design Front-end Development	2.5.8	0	0 PAGES
AA <b>List</b> items must not be used to format text.	Visual Design UX Design	3.2.4	0	0 PAGES

## Reviews

Check ▾	Responsibility ▾	Guideline	Issues ▾	Pages ▾
A Image <b>Alt</b> text is short.	Content Authoring UX Design Visual Design	1.1.1	0	0 PAGES





Check ▾	Responsibility ▾	Guideline	Issues ▾	Pages ▾
A A long description is used for each <b>img</b> element that does not have Alt text conveying the same information as the image.	Front-end Development	1.1.1	0	<a href="#">0</a> PAGES
A Alt text for all <b>img</b> elements contains all text in the image unless the image text is decorative or appears elsewhere in the document.	Content Authoring Visual Design UX Design	1.1.1	0	<a href="#">0</a> PAGES
A Alt text for all <b>img</b> elements is the empty string ("") if the image is decorative.	Front-end Development	1.1.1	0	<a href="#">0</a> PAGES
A <b>applet</b> contains a text equivalent in the <b>alt</b> attribute of the <b>applet</b> .	Content Authoring UX Design	1.1.1	0	<a href="#">0</a> PAGES
A Text equivalents for <b>applet</b> must be updated if <b>applet</b> changes.	Content Authoring UX Design	1.1.1	0	<a href="#">0</a> PAGES
A <b>applet</b> contains a text equivalent in the body of the <b>applet</b> .	Content Authoring UX Design	1.1.1	0	<a href="#">0</a> PAGES
A "Alt text for all <b>input</b> elements with a <b>type</b> attribute value of "image" identifies the purpose or function of the image."	Content Authoring UX Design	1.1.1	0	<a href="#">0</a> PAGES

Check ⚡		Responsibility ⚡	Guideline	Issues ⚡	Pages ⚡
A	Alt text for all <b>area</b> elements identifies the link destination.	Content Authoring UX Design Visual Design	1.1.1	0	<a href="#">0</a> PAGES
A	Each object must have a text equivalent that will be displayed if the object is not.	Content Authoring UX Design	1.1.1	0	<a href="#">0</a> PAGES
A	Alt text for all <b>img</b> elements that are not used as source anchors conveys the same information as the image.	Content Authoring UX Design	1.1.1	0	<a href="#">0</a> PAGES
A	Alt text for all <b>input type</b> attribute value of "image" contains all non-decorative text in the image.	Front-end Development	1.1.1	0	<a href="#">0</a> PAGES
A	Alt text for all <b>area</b> elements contains all non-decorative text in the image area.	Front-end Development	1.1.1	0	<a href="#">0</a> PAGES
A	<b>title</b> attribute for all <b>img</b> elements is absent or the empty string ("") if the image is decorative.	Front-end Development	1.1.1	0	<a href="#">0</a> PAGES
A	<b>Sound file</b> must have a text transcript.	Content Authoring UX Design	1.2.1	0	<a href="#">0</a> PAGES
A	<b>object</b> link to multimedia file require equivalent alternatives (e.g., captions or auditory descriptions of the visual track).	Content Authoring UX Design	1.2.3	0	<a href="#">0</a> PAGES

Check ⚡	Responsibility ⚡	Guideline	Issues ⚡	Pages ⚡
A <b>object</b> may require a long description.	UX Design Content Authoring	1.2.3	0	<a href="#">0</a> PAGES
A All <b>textarea</b> elements have a label that is positioned close to control.	UX Design Visual Design	1.3.1	0	<a href="#">0</a> PAGES
A All complex data tables have a summary	UX Design Content Authoring	1.3.1	0	<a href="#">0</a> PAGES
A All <b>input</b> elements, <b>type</b> of "password", have a label that is positioned close to the control.	UX Design Visual Design	1.3.1	0	<a href="#">0</a> PAGES
A All <b>input</b> elements, <b>type</b> of "checkbox", have a label that is positioned close to the control.	UX Design Visual Design	1.3.1	0	<a href="#">0</a> PAGES
A All <b>input</b> elements, <b>type</b> of "file", have a label that is positioned close to the control.	UX Design Visual Design	1.3.1	0	<a href="#">0</a> PAGES
A All <b>input</b> elements, <b>type</b> of "radio", have a label that is positioned close to the control.	UX Design Visual Design	1.3.1	0	<a href="#">0</a> PAGES
A All layout <b>tables</b> make sense when linearized	Front-end Development UX Design	1.3.1	0	<a href="#">0</a> PAGES
A All data tables contain <b>th</b> elements	Front-end Development UX Design	1.3.1	0	<a href="#">0</a> PAGES

Check ↕	Responsibility ↕	Guideline	Issues ↕	Pages ↕
A All layout tables do not contain <b>th</b> elements.	Front-end Development UX Design	1.3.1	0	<a href="#">0</a> PAGES
A All data tables contain a <b>caption</b> unless the table is identified within the document.	Front-end Development	1.3.1	0	<a href="#">0</a> PAGES
A <b>pre</b> element should not be used to create tabular layout.	Front-end Development UX Design	1.3.1	0	<a href="#">0</a> PAGES
A All data table summaries describe navigation and structure of the table.	Content Authoring UX Design	1.3.1	0	<a href="#">0</a> PAGES
A All <b>select</b> elements have a label that is positioned close to the control.	Front-end Development	1.3.1	0	<a href="#">0</a> PAGES
A "All <b>input</b> elements, <b>type</b> of "text", have a label that is positioned close to the control."	Front-end Development	1.3.1	0	<a href="#">0</a> PAGES
A Use <b>thead</b> to group repeated table headers, <b>tfoot</b> for repeated table footers, and <b>tbody</b> for other groups of rows.	Front-end Development	1.3.1	0	<a href="#">0</a> PAGES
A Use <b>colgroup</b> and <b>col</b> elements to group columns.	Front-end Development UX Design	1.3.1	0	<a href="#">0</a> PAGES

Check ⚡		Responsibility ⚡	Guideline	Issues ⚡	Pages ⚡
A	Table markup is used for all tabular information.	Front-end Development UX Design	1.3.1	0	<a href="#">0</a> PAGES
A	Table captions identify the table.	Front-end Development	1.3.1	0	<a href="#">0</a> PAGES
A	All visual lists are marked.	Front-end Development	1.3.1	0	<a href="#">0</a> PAGES
A	Unicode right-to-left marks or left-to-right marks are used whenever the HTML bidirectional algorithm produces undesirable results.	Front-end Development UX Design	1.3.1	0	<a href="#">0</a> PAGES
A	All changes in text direction are marked using the dir attribute.	Front-end Development UX Design	1.3.1	0	<a href="#">0</a> PAGES
A	All text references do not use shape, size, or relative position alone.	Content Authoring UX Design	1.3.3	0	<a href="#">0</a> PAGES
A	For all <b>img</b> elements, text does not refer to the image by color alone.	Visual Design UX Design	1.4.1	0	<a href="#">0</a> PAGES
A	<b>applet</b> should not use color alone.	Visual Design UX Design	1.4.1	0	<a href="#">0</a> PAGES
A	<b>input</b> should not use color alone	Visual Design UX Design	1.4.1	0	<a href="#">0</a> PAGES
A	<b>object</b> must not use color alone.	UX Design Visual Design	1.4.1	0	<a href="#">0</a> PAGES

Check 		Responsibility 	Guideline	Issues 	Pages 
A	Color alone should not be used in the script.	Visual Design UX Design	1.4.1	0	<a href="#">0</a> PAGES
A	<b>applet</b> user interface must be accessible.	Front-end Development Visual Design UX Design Content Authoring	2.1.1	0	<a href="#">0</a> PAGES
A	<b>object</b> user interface must be accessible - (codebase).	Front-end Development Visual Design UX Design Content Authoring	2.1.1	0	<a href="#">0</a> PAGES
A	User interface for <b>script</b> must be accessible.	Front-end Development	2.1.1	0	<a href="#">0</a> PAGES
A	All <b>onclick</b> event handlers have corresponding keyboard-specific functions	Front-end Development UX Design	2.1.1	0	<a href="#">0</a> PAGES
A	All <b>onmousemove</b> event handlers have corresponding keyboard-specific functions.	Front-end Development UX Design	2.1.1	0	<a href="#">0</a> PAGES
A	<b>applet</b> provides a keyboard mechanism to return focus to the parent window.	Front-end Development	2.1.2	0	<a href="#">0</a> PAGES
A	<b>object</b> provides a keyboard mechanism to return focus to the parent window.	Front-end Development	2.1.2	0	<a href="#">0</a> PAGES
A	<b>embed</b> provides a keyboard mechanism to return focus to the parent window.	Front-end Development	2.1.2	0	<a href="#">0</a> PAGES



Check ▾	Responsibility ▾	Guideline	Issues ▾	Pages ▾
A Keyboard shortcuts are implemented in a changeable and safe manner	Front-end Development	2.1.4	0	<a href="#">0</a> PAGES
A All <b>img</b> elements have associated images that do not flicker.	Visual Design	2.3.1	0	<a href="#">0</a> PAGES
A <b>applets</b> cause screen flicker.	Visual Design UX Design	2.3.1	0	<a href="#">0</a> PAGES
A All <b>objects</b> do not flicker.	UX Design Visual Design	2.3.1	0	<a href="#">0</a> PAGES
A <b>script</b> should not cause screen flicker.	Front-end Development	2.3.1	0	<a href="#">0</a> PAGES
A "A " <b>skip to content</b> " link appears on all pages with blocks of material prior to the main document."	UX Design	2.4.1	0	<a href="#">0</a> PAGES
A All <b>frame</b> titles identify the purpose or function of the frame.	Content Authoring UX Design	2.4.1	0	<a href="#">0</a> PAGES
A All groups of links with a related purpose are marked.	Front-end Development UX Design	2.4.1	0	<a href="#">0</a> PAGES
A Make sure that all publications have page numbers and those numbers match any corresponding version (e.g., zoomed in or viewed elsewhere) or the printed version, if	Front-end Development	2.4.13	0	<a href="#">0</a> PAGES

Check ⚡	Responsibility ⚡	Guideline	Issues ⚡	Pages ⚡
any.				
A <b>title</b> describes the document	Content Authoring	2.4.2	0	<b>0</b> PAGES
A <b>Link</b> text is meaningful when read out of context.	Content Authoring	2.4.4	0	<b>0</b> PAGES
A Content can be operated using simple inputs on a wide range of pointing devices.	Front-end Development UX Design	2.5.1	0	<b>0</b> PAGES
A Functionality that can be operated using a single pointer, is implemented in a safe manner.	Front-end Development	2.5.2	0	<b>0</b> PAGES
A User interface components with labels that include text or images of text has the text that is presented visually contained in the name.	Front-end Development	2.5.3	0	<b>0</b> PAGES
A Functionality that can be operated by device motion or user motion can also be operated by user interface.	Front-end Development	2.5.4	0	<b>0</b> PAGES
A Functionality that can be operated by device motion or user motion can be disabled to prevent accidental actuation.	Front-end Development	2.5.4	0	<b>0</b> PAGES

Check ▾	Responsibility ▾	Guideline	Issues ▾	Pages ▾
A Loading the web page does not cause a new window to open.	UX Design Front-end Development	3.2.1	0	<a href="#">0</a> PAGES
A Change of context occurs only by user activation unless a warning is provided.	Front-end Development	3.2.2	0	<a href="#">0</a> PAGES
A If a help option is made available, make sure it is consistently accessible in the same relative location, so it can be found easily.	Front-end Development UX Design	3.2.6	0	<a href="#">0</a> PAGES
A All form submission error messages identify any empty required fields.	UX Design Visual Design	3.3.1	0	<a href="#">0</a> PAGES
A Each label describes its associated <b>input</b> element.	Front-end Development UX Design	3.3.2	0	<a href="#">0</a> PAGES
A All <b>input</b> elements, <b>type</b> of "file", have a <b>label</b> that describes the purpose or function of the control.	Front-end Development	3.3.2	0	<a href="#">0</a> PAGES
A All <b>select</b> elements have a label that describes the purpose or function of the control.	Front-end Development	3.3.2	0	<a href="#">0</a> PAGES

Check ▾	Responsibility ▾	Guideline	Issues ▾	Pages ▾
A All <b>input</b> elements, type of " <b>password</b> ", have a <b>label</b> that describes the purpose or function of the control.	Front-end Development	3.3.2	0	<b>0</b> PAGES
A All <b>input</b> elements, <b>type</b> of "text", have a <b>label</b> that describes the purpose or function of the control.	Front-end Development	3.3.2	0	<b>0</b> PAGES
A All <b>input</b> elements, <b>type</b> of "checkbox", have a <b>label</b> that describes the purpose or function of the control.	Front-end Development	3.3.2	0	<b>0</b> PAGES
A All <b>input</b> elements, <b>type</b> of "radio", have a <b>label</b> that describes the purpose or function of the control.	Front-end Development	3.3.2	0	<b>0</b> PAGES
A All <b>form</b> fields that are required are indicated to the user as required.	UX Design Visual Design	3.3.2	0	<b>0</b> PAGES
AA Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.	Front-end Development UX Design	1.3.4	0	<b>0</b> PAGES
AA The purpose of each input field collecting information about the user can be programmatically	Front-end Development	1.3.5	0	<b>0</b> PAGES

Check ⚡	Responsibility ⚡	Guideline	Issues ⚡	Pages ⚡
determined.				
AA Scrolling in more than one direction is not necessary for small displays and zoomed content.	Front-end Development UX Design	1.4.10	0	0 PAGES
AA The visual presentation of UI and graphics components have a contrast ratio of at least 3:1 against adjacent color(s).	Visual Design	1.4.11	0	0 PAGES
AA No loss of content or functionality occurs when changing certain text style properties.	Front-end Development Visual Design	1.4.12	0	0 PAGES
AA Additional content that appears and disappears in coordination with keyboard focus or pointer hover does not obstruct operation.	Front-end Development	1.4.13	0	0 PAGES
AA The luminosity contrast ratio between text and background color in all images is at least 5:1.	Visual Design UX Design	1.4.3	0	0 PAGES
AA Visited link text colour must contrast sufficiently with its background colour.	Visual Design	1.4.3	0	0 PAGES
AA Active link text color must contrast sufficiently with its background color.	Visual Design	1.4.3	0	0 PAGES

Check ▾	Responsibility ▾	Guideline	Issues ▾	Pages ▾
AA Selected link text color must contrast sufficiently with its background color.	Visual Design	1.4.3	0	<a href="#">0</a> PAGES
AA Link text colour must contrast sufficiently with its background colour.	Visual Design	1.4.3	0	<a href="#">0</a> PAGES
AA When receiving keyboard focus, User Interface components must have a minimum focus indication area that contrasts sufficiently with both the colors of the unfocused state and the adjacent colors. In addition, the item with focus must not be obscured by author-created content.	Visual Design Front-end Development	2.4.11	0	<a href="#">0</a> PAGES
AA Sites must have a site map.	Front-end Development UX Design	2.4.5	0	<a href="#">0</a> PAGES
AA All <b>h1</b> elements are not used for formatting	Visual Design	2.4.6	0	<a href="#">0</a> PAGES
AA All <b>h2</b> elements are not used for formatting.	Visual Design	2.4.6	0	<a href="#">0</a> PAGES
AA All <b>h3</b> elements are not used for formatting	Visual Design	2.4.6	0	<a href="#">0</a> PAGES
AA All <b>h4</b> elements are not used for formatting	Visual Design	2.4.6	0	<a href="#">0</a> PAGES

Check ▾	Responsibility ▾	Guideline	Issues ▾	Pages ▾
AA All <b>h5</b> elements are not used for formatting	Visual Design	2.4.6	0	<b>0</b> PAGES
AA All <b>h6</b> elements are not used for formatting	Visual Design	2.4.6	0	<b>0</b> PAGES
AA If dragging movements are needed (for example, to change a slider), an alternative dragging method such as clicking or tapping should be provided.	Front-end Development	2.5.7	0	<b>0</b> PAGES
AA Words and phrases not in the document's primary language are marked.	Front-end Development	3.1.2	0	<b>0</b> PAGES
AA Repeated blocks of content appear in the same <b>frame</b> within the <b>frameset</b> .	UX Design Visual Design	3.2.3	0	<b>0</b> PAGES
AA The tab order specified by <b>tabindex</b> attributes follows a logical order.	Visual Design UX Design	3.2.3	0	<b>0</b> PAGES
AA Repeated components appear in the same relative order each time they appear.	UX Design Visual Design	3.2.3	0	<b>0</b> PAGES
AA <b>blockquote</b> must not be used for indentation.	Front-end Development	3.2.4	0	<b>0</b> PAGES

Check ▾	Responsibility ▾	Guideline	Issues ▾	Pages ▾
AA	Use the <b>blockquote</b> element to mark up block quotations	Front-end Development UX Design	3.2.4	0 PAGES
AA	Essential controls, such as edit buttons, should remain visible and/or accessible while they are relevant, rather than being hidden and/or disappearing until a mouse over or focus is applied to them.	Front-end Development	3.2.7	0 PAGES
AA	All form submission error messages provide assistance in correcting the error.	UX Design Content Authoring	3.3.3	0 PAGES
AA	Form submission data is presented to the user before final acceptance for all irreversable transactions.	UX Design	3.3.4	0 PAGES
AA	Information deleted using a web page can be recovered.	UX Design	3.3.4	0 PAGES
AA	Status messages can be programmatically determined through role or properties.	Front-end Development	4.1.3	0 PAGES